

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	289	password near3 key with decrypt\$3 and @ad<"20010816"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/30 10:25
L2	6	password near3 key with (prior or before) near3 decrypt\$3 and @ad<"20010816"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/30 10:26
L3	0	credential\$2 near3 key with (prior or before) near3 decrypt\$3 and @ad<"20010816"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/30 10:26
L5	2	"6178242".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/30 12:19
L6	6	"5799083".pn. "5912972".pn. "20020112168".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/30 12:19
L7	67	(380/201.ccls. 380/229.ccls. 380/210.ccls. 380/203.ccls.) and @ad<"20010816" and @pd>"20050517"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/30 12:21
S1	531	380/201.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 11:13
S2	317	S1 and @ad<"20010816"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/24 14:16

S3	531	380/201.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/24 14:16
S4	317	S3 and @ad<"20010816"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/24 14:16
S5	252	S4 and video	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/24 14:16
S6	143	S5 and encrypt\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 13:53
S7	30	video and encrypt\$3 and @ad<"20010816" and hash and record\$3 near tape	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/24 14:25
S9	256	video same tape and encrypt\$3 and @ad<"20010816" and (hash or signature) and record\$3 not S7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 10:32
S10	119	S9 and frame\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/24 14:36
S11	3	S10 and encrypt\$3 near frame\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/24 14:36

S12	30	video and encrypt\$3 and @ad<"20010816" and hash and record\$3 near tape	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 10:33
S13	256	video same tape and encrypt\$3 and @ad<"20010816" and (hash or signature) and record\$3 not S12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 10:33
S14	908	video and encrypt\$3 and @ad<"20010816" and (hash or signature) and record\$3 not S12 not S13 and frame\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 10:33
S15	220	S14 and encrypt\$3 same frame\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 10:34
S16	170	S15 and (reproduc\$3 or play\$3 or playback or play-back)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 10:35
S17	21	S16 and (reproduc\$3 or play\$3 or playback or play-back) same decrypt\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 11:00
S18	149	S16 not S17	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 11:28
S19	32	S18 and legacy	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 11:03

S20	121	S14 and legacy not S19	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 11:03
S21	2	"20030035543".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 11:13
S22	30	video and encrypt\$3 and @ad<"20010816" and hash and record\$3 near tape	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 11:28
S23	256	video same tape and encrypt\$3 and @ad<"20010816" and (hash or signature) and record\$3 not S22	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 11:28
S24	908	video and encrypt\$3 and @ad<"20010816" and (hash or signature) and record\$3 not S22 not S23 and frame\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 11:28
S25	220	S24 and encrypt\$3 same frame\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 11:28
S26	170	S25 and (reproduc\$3 or play\$3 or playback or play-back)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 11:28
S27	21	S26 and (reproduc\$3 or play\$3 or playback or play-back) same decrypt\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 11:28

S28	149	S26 not S27	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 11:28
S29	32	S28 and legacy	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 11:28
S30	117	S28 not S29	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 11:28
S31	197	380/203.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 13:53
S32	166	S31 and @ad<"20010816"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 13:53
S34	2	"5799083".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 16:29
S35	0	S34 and legacy	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 16:29
S36	2	"5912972".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 17:37

S37	2	"20020112168".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 17:10
S38	37	380/229.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 17:37
S39	29	S38 and @ad<"20010816"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 17:43
S40	0	encrypt\$3 near frame\$2 and decrypt\$3 near frame\$2 and video near camera\$2 and @ad<"20010816"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 17:55
S41	34	encrypt\$3 near frame\$2 and decrypt\$3 near frame\$2 and @ad<"20010816"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 17:59
S42	2	"20010009580".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 18:02
S43	0	S42 and fram\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 18:02
S44	2	S42 and block\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 18:04

S45	89	decrypt\$3 near (playback or play\$2 or reproduc\$4) and encrypt\$3 and fram\$3 and @ad<"20010816"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 18:35
S46	257	380/210.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 18:35
S47	165	S46 and @ad<"20010816"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 18:36
S48	80	S47 and encrypt\$3 and decrypt\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 18:36
S49	2	"5623637".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/28 08:46
S50	2	S49 and processor\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/28 08:59
S51	0	JP1270191.pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/28 08:59
S52	9	"1270191".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/28 08:59

S53	8	"1096714".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/28 11:37
S54	0	S53 and process\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/28 11:12
S55	0	S53 and process\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/28 11:12
S56	2	"5623637".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/28 11:37
S57	0	S56 and video	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/28 12:03
S58	1	S56 and private	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/28 12:37
S59	2	"5912972".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/28 12:39
S60	0	S59 and hash	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/28 12:39

S61	2	S59 and signature	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/28 12:40
S62	1	compar\$3 and S61	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/28 15:07
S63	2	"5623637".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/28 15:08
S64	0	S63 and medium	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/28 15:09
S65	2	S63 and computer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/28 15:39
S66	46	hash same compar\$3 and signature and hash same fram\$3 and @ad<"20010816"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/28 17:15
S67	2	"6674874".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/28 15:51
S68	2	S67 and video	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/28 15:51

S69	2	"4739398".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/28 16:30
S70	0	S69 and signature and hash and compar\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/28 17:16
S71	3139	output\$4 near video same compar\$4 and @ad<"20010816"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/28 17:15
S72	0	S71 and compar\$3 near hash	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/28 17:15
S73	1	S71 and compar\$3 same hash	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/28 17:16
S74	787	authent\$4 same output\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/28 17:18
S75	186	compar\$3 near hash and video and @ad<"20010816"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/28 17:49
S76	2	"5499294".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/01 08:22

S77	2	S76 and key	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/01 08:23
S78	1	S76 and key same related	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/01 08:37
S79	2	S76 and signature	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/01 08:37
S80	4	"5799083".pn. "5912972".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/16 17:09
S81	2	"5623637".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/16 17:09
S82	2	S81 and removable	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/16 17:43
S83	0	smart adj card adj (integrated) same removable and @ad<"20010816"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/16 17:44
S84	0	smart adj card with UART same removable and @ad<"20010816"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/16 17:44

S85	2	"5499294".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 09:19
S86	0	S85 and removable	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 09:19
S87	16	"5448045".pn. "5428685".pn. "5379344".pn. "5347580".pn. "5341428".pn. "5307411".pn. "5293424".pn. "5204663".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 09:47
S88	20	"5448045".pn. "5428685".pn. "5379344".pn. "5347580".pn. "5341428".pn. "5307411".pn. "5293424".pn. "5204663".pn. "5124117".pn. "5068894".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 09:47
S89	14	S88 and encrypt\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 09:57
S90	1	(smartcard or smart adj card) with UART same encrypt\$3 with key and @ad<"20010816"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 09:58
S91	1	(smartcard or smart adj card) same UART same encrypt\$3 with key and @ad<"20010816"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 09:58
S92	401	(smartcard or smart adj card) with encrypt\$3 with key and @ad<"20010816"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 09:58

S93	11	S92 and UART	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 12:20
S94	32	memory adj card same computer same video adj data and @ad<"20010816"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 10:15
S95	13	memory adj card same computer same stor\$3 with video adj data and @ad<"20010816"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 10:18
S96	2	"6170743".pn. and video	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 10:30
S97	25	(video or digital) adj recorder same memory adj card and @ad<"20010816"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 10:31
S98	14	S97 and stor\$3 with data	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 10:42
S99	0	"6618789".pn. and cassette	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 10:36
S10 0	0	"6618789".pn. and frame\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 10:41

S10 1	0	"6618789".pn. and fram\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 10:41
S10 2	18	"6170743".pn. "6088755".pn. "6061449".pn. "5933854".pn. "5892900".pn. "5887145".pn. "5858290".pn. "5835604".pn. "5727545".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 10:45
S10 3	6	S102 and encrypt\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 11:05
S10 4	2	"5623637".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 11:06
S10 5	81	("5623637").URPN.	USPAT	OR	OFF	2005/05/17 11:06
S10 6	55	S105 and encrypt\$3	USPAT	OR	OFF	2005/05/17 11:06
S10 7	50	S106 and @ad<"20010816"	USPAT	OR	OFF	2005/05/17 11:07
S10 8	13	S107 and video	USPAT	OR	OFF	2005/05/17 11:13
S10 9	1	"6587949".pn.	USPAT	OR	OFF	2005/05/17 11:38
S11 0	0	S109 and cassette	USPAT	OR	OFF	2005/05/17 11:13
S11 1	0	S109 and tape\$2	USPAT	OR	OFF	2005/05/17 11:13
S11 2	0	S109 and fram\$3	USPAT	OR	OFF	2005/05/17 11:14
S11 3	0	S109 and hash\$3	USPAT	OR	OFF	2005/05/17 11:14
S11 4	4	"5862217".pn. "5748744".pn. "5499294".pn. "5150407".pn.	USPAT	OR	OFF	2005/05/17 11:39
S11 5	10	("5862217").URPN.	USPAT	OR	OFF	2005/05/17 11:47
S11 6	1	"6876984".pn. and fram\$3	USPAT	OR	OFF	2005/05/17 11:45

S11 7	1	S116 and key	USPAT	OR	OFF	2005/05/17 11:45
S11 8	0	S117 and key with (card or smartcard)	USPAT	OR	OFF	2005/05/17 11:45
S11 9	1	S115 and (fram\$3 and encrypt\$3)	USPAT	OR	OFF	2005/05/17 11:48
S12 0	8	S115 and encrypt\$3	USPAT	OR	OFF	2005/05/17 12:14
S12 1	1	"6351813".pn.	USPAT	OR	OFF	2005/05/17 12:15
S12 2	20	(smart adj card or PCMCIA) with import\$3 same key and @ad<"20010816"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 12:22
S12 3	238	(smart adj card or PCMCIA) with (import\$3 or load\$3 or transmit\$4 or transfer\$5) with key and @ad<"20010816"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 12:36
S12 4	2	"6225888".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 12:37
S12 5	2	"6427073".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 12:37
S12 6	11	video adj cassette with removable adj memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 12:44
S12 7	31	(removable or detachable) adj memory same card same key and @ad<"20010816"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 12:48

S12 8	0	(removable or detachable) adj from with card same key and @ad<"20010816"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 12:48
S12 9	0	(removable or detachable) adj from with card and @ad<"20010816"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 12:48
S13 0	0	(remov\$4 or detach\$4) adj from with card and @ad<"20010816"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 12:48
S13 1	0	(remov\$4 or detach\$4) adj from same card and @ad<"20010816"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 12:49
S13 2	4861	card with (detach\$4 or remov\$5) with memory and @ad<"20010816"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 12:50
S13 3	1365	card with (detach\$4 or remov\$5) adj memory and @ad<"20010816"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 12:50
S13 4	405	card with (detach\$4 or remov\$5) adj memory and key and @ad<"20010816"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 13:41
S13 5	559	card with (detach\$4 or remov\$5) with key and @ad<"20010816"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 13:42

S13 6	123	card with (detach\$4 or remov\$5) with stor\$4 with key and @ad<"20010816"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 13:57
S13 7	4627	(cassette or tape) same (remov\$4 or detach\$4) same memory and @ad<"20010816"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 14:01
S13 8	113	(cassette or tape) same (remov\$4 or detach\$4) same key same memory and @ad<"20010816"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 14:03
S13 9	52	(cassette) same (remov\$4 or detach\$4) same key same memory and @ad<"20010816"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 14:04
S14 0	13	(cassette) same (remov\$4 or detach\$4) with memory same key and @ad<"20010816"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 14:06
S14 1	7305	(detach\$4 or remov\$4) same card and key and @ad<"20010816"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 14:13
S14 2	1565	(detach\$4 or remov\$4) same (cassette and video) and @ad<"20010816"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 14:14
S14 3	18	(detach\$4 or remov\$4) adj (memory or chip or card) same (cassette and video) and @ad<"20010816"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 14:22

S14 4	806	(detach\$4 or remov\$4) adj (memory or chip or card) with (cassette or video or tape) and @ad<"20010816"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 14:25
S14 5	19	(detach\$4 or remov\$4) adj (memory or chip or card) with (video adj (cassette or tape)) and @ad<"20010816"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 14:37
S14 6	2	"6587949".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 14:38
S14 7	0	S146 and symmetric	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 14:38
S14 8	1	S146 and key	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 16:12
S14 9	2	"6587949".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 16:12
S15 0	1	S149 and (public or assymmetric)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 16:12
S15 1	2	"5499294".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 16:31

S15 2	2	S151 and (assymmetric or public) with key	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 16:46
S15 3	2	"6587949".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 16:46
S15 4	1	S153 and (authentic\$5 or compar\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 16:48
S15 5	2	"5499294".pn. and (compar\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 16:50
S15 6	0	(match or success\$5) with compar\$5 with hash\$2 same video same play\$3 and @ad<"20010816"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 16:51
S15 7	0	(match\$3 or success\$5) with compar\$5 with hash\$2 same video same play\$3 and @ad<"20010816"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 16:51
S15 8	3	(match\$3 or success\$5) with compar\$5 with hash\$2 same play\$3 and @ad<"20010816"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 16:52
S15 9	0	(match\$3 or success\$5) with compar\$5 with hash\$2 same video and @ad<"20010816"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 16:52

S16 0	0	(match\$3 or success\$5) with compar\$5 with hash\$2 same video same reproduc\$4 and @ad<"20010816"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 16:52
S16 1	3	(match\$3 or success\$5) with compar\$5 with hash\$2 same reproduc\$4 and @ad<"20010816"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 16:52
S16 2	2	"5499294".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 17:24
S16 3	1	S162 and (assymmetric or asymmetric or pair)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 17:55
S16 4	16	cassette adj tape with card same stor\$4 same video and @ad<"20010816"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 17:58
S16 5	558	cassette adj tape same stor\$4 same video and @ad<"20010816"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 17:59
S16 6	0	S165 and ("713"/\$.ccls or "380"/\$. ccls)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 17:59
S16 7	34	S165 and (encrypt\$3 or decrypt\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 18:04

S16 8	22	S167 and recorder	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 18:04
S16 9	21	S167 and recorder same (tape or cassette)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 18:05
S17 0	21	S167 and recorder with (tape or cassette)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 18:10
S17 1	12	"5499294".pn. "6587949".pn. "1096714".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 18:11
S17 2	0	S171 and cassette	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 18:11
S17 3	1	S171 and tape\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 18:11
S17 4	10	(380/201.ccls. 380/229.ccls. 380/210.ccls. 380/203.ccls.) and @ad<"20010816" and @pd>"20050224"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/30 12:21
S17 5	2	"5499294".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/26 11:17

S17 6	2	"6587949".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/26 11:17
S17 7	129	validat\$3 near3 key with decrypt\$3 and @ad<"20010816"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/28 16:23
S17 8	4	validat\$3 near3 key with (before or prior) with decrypt\$3 and @ad<"20010816"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/28 16:25
S17 9	18	(validat\$3 or authenticat\$3) near3 key with (before or prior) with decrypt\$3 and @ad<"20010816"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/28 16:25
S18 0	14	(validat\$3 or authenticat\$3) near3 key with (before or prior) with decrypt\$3 and @ad<"20010816" not S178	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/28 16:27
S18 1	0	(approv\$3) near3 key with (before or prior) with decrypt\$3 and @ad<"20010816" not S178	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/28 16:27
S18 2	3	(valid) near3 key with (before or prior) with decrypt\$3 and @ad<"20010816" not S178	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/28 16:27